Piping Automatic Welding Workstation(D-type)



Piping Automatic Welding Workstation(D-type)



Piping Automatic Welding Workstation(D-type)



Piping Automatic Welding Workstation(D-type)

Model: PAWWS-24D

Performance Characteristics

- 1. Structure: 6 meters container with special technology, Pipeline Prefabricated auto-welding machine, Trolley which is corollary equipment of auto welding machine, cantilever crane, CO2 arc welding machine.
- 2. Production Capacity: 225-325 inch per day (DN200 SCH40) (The more output will be achieved with the use of cantilever crane and Pipeline Prefabricated auto-welding machine, while the output will fall with the use of Pipeline Prefabricated and Traveling Crane).
- 3. Mobility: Excellent (without limitation of radiation radius by using container as carrier)
- 4. Application: Used in the project with lots of thick pipelines and a little of common ones

Technical parameter:

- 1. Pipe diameter: DN50-600 (φ60-610)
- 2. Pipe thickness: 3-60MM
- 3. Pipe materials: carbon steel, alloy steel, stainless steel and cryogenic steel.
- 4. Welding: tube-tube, pipe-pipe, tube-elbow, tube-flange, flange-flange, flange- elbow
- 5. Auto-welding cover rate: ≥60%
- 6. Pipeline Prefabricated Depth: 50%~80%
- 7. Design Software: PDSOFT 3DPiping
- 8. Management Software: PDSOFT PPMIS